

LASSEN COUNTY ENVIRONMENTAL HEALTH DEPARTMENT

707 Nevada Street, Suite 5 – SUSANVILLE, CA 96130 – PH: (530) 251-8528 – FAX: (530) 251-2668

FOOD PROGRAM INSPECTION REPORT

DBA/NAME: <u>Doyle Payless Shell</u>	DATE: <u>11/3/23</u>	TIME: <u>1042</u>
ADDRESS: <u>745-750 Hwy 395, Doyle CA</u>	RECHECK DATE:	
OWNER/OPERATOR: <u>Kaur</u>	VIOLATION CORRECTION DATE:	

See reverse side for the California Retail Food Code sections and general requirements that correspond to each violation listed below

MAJ = Major Violation MIN = Minor Violation OUT = Items out of compliance

ROUTINE (☒) REINSPECTION () COMPLAINT () EVENT () OTHER ()

DEMONSTRATION OF KNOWLEDGE	MAJ	MIN	GENERAL FOOD SAFETY REQUIREMENTS	OUT
1. Food safety certification Exp. Date:		☒	20. Approved thawing methods used, frozen food maintained frozen	
1A. Food Handler Cards obtained and records on site			21. Food separated and protected	
EMPLOYEE HEALTH & HYGIENIC PRACTICES			22. Fruits and vegetables washed as required	
2. Communicable disease; reporting, restrictions & exclusions			23. Toxic substances properly identified, stored, used	
3. No discharge from eyes, nose, and/or mouth			FOOD STORAGE/ DISPLAY / SERVICE	
4. Proper hygienic practices			24. Food properly stored, contained, labeled	☒
5. Hand cleanliness & proper glove use			25. Self-service facilities properly constructed and maintained, food protected, correct temperatures	☒
6. Adequate handwashing facilities supplied & accessible			EQUIPMENT / UTENSILS / LINENS	
TIME & TEMPERATURE RELATIONSHIPS			26. Nonfood contact surfaces clean and in good repair	
7. Proper hot and cold holding temperatures		☒	27. Warewashing facilities: Adequate, maintained, properly used, test strips available	
8. Time as a public health control: Proper procedures & records			28. Equipment / Utensils approved; properly installed or stored, clean; good condition; linens properly stored and used	
9. Proper cooling methods			29. Ventilation and lighting adequate and as required	
10. Proper cooking time & temperatures			30. Thermometers provided and accurate	
11. Proper reheating procedures for hot holding			31. Wiping cloths: properly used and stored	
PROTECTION FROM CONTAMINATION			PHYSICAL FACILITIES	
12. Food condition, cross contamination, no re-service			32. Plumbing in good repair, proper materials, backflow devices, and janitorial facilities	
13. Food contact surfaces clean and sanitized			33. Garbage and refuse properly disposed; facilities maintained	
APPROVED SOURCE & SPECIAL PROCEDURES			34. Toilet facilities properly constructed, supplied, cleaned, maintained	
14. Food from approved source; shell stock requirements; special procedures followed, Consumer Advisory		☒	35. Facility cleanliness, non-food item storage, vermin-proofing	
15. Specialized food handling			36. Floor, walls and ceilings: properly built, maintained in good repair, and clean	☒
WATER & WASTE WATER			37. No unapproved private homes/ living or sleeping quarters	
16. Hot and cold water available from an approved source			MISC. REQUIREMENTS	
17. Sewage and wastewater properly disposed			38. Signs posted	☒
VERMIN			39. Plan review required for new or remodel construction	
18. No rodents, insects, birds or animals			40. Permits Available	
FACILITY SUPERVISION			41. Impoundment of unsanitary equipment or food, permit suspension	
19. Person in charge present and performs duties			42. Other	☒

OBSERVATIONS AND CORRECTIVE ACTIONS:

1. No Food Safety Manager certification. Food facilities shall have at least one employee who has passed a food safety certification examination.

7. Hot Dogs at 124.5°F. Hot held food shall be kept at or above 135°F. Employee increased temperature.

14. Unable to verify origin of frozen, pre-packaged meats. Remove from sale until documentation at origin is provided to L.C.E.H.D.

24. Ground beef, sausage stored over ready-to-eat food in walk-in freezer. Bacon stored over deli meat in walk-in fridge. All raw meat shall be stored below ready-to-eat foods.

R.E.H.S.: <u>[Signature]</u>	RECEIVED BY: <u>[Signature]</u>	Page 1 of: <u>2</u>
------------------------------	---------------------------------	---------------------

LASSEN COUNTY
ENVIRONMENTAL HEALTH BRANCH

1445 PAUL BUNYAN RD • SUSANVILLE, CA 96130 • PH: (530) 251-8528 • FAX: (530) 251-2668

FOOD FACILITY OFFICIAL INSPECTION REPORT

D.B.A. Doyle Paperless Shell

Date 11/3/23

24. (continued) so as to prevent contamination.
25. Coffee machine & cappuccino machine need cleaning.
36. Floor under 3-compartment sink needs to be repaired so that it is smooth, easily cleanable, & nonabsorbent.
39. No handwash signs posted in bathroom. Provided sign at time of inspection.

Observations: Chicken nuggets: 135.5°F (ok) Hot Dogs: 124.5°F
Neskle Freezer: -12.5°F (ok) F' Reel: 18°F (ok) Cheeses: 40.5°F (ok)
Ice Cream: -9.5°F (ok) Walk-in: Milk: 40.5°F (ok) Salami: 41°F (ok)
Burrito: 38.5°F (ok) Walk-in Freezer: Ground Beef: -31.5°F
Freezer (Back room): -16°F 3-compartment sink: 120°F
Restroom: 114.5°F

24. (continued) ^{and ice} Food in walk-in freezer being stored on floor. Food shall be stored at least 6" above floor.

36. (continued) Ice build-up on floor of walk-in freezer needs to be removed. All food facilities shall be kept clean and in good repair.

42. CO₂ canisters not secured. All pressurized CO₂ canisters shall be secured to a rigid structure.

Environmental Health Specialist

Accepted by

Phone Extension: _____