

LASSEN COUNTY ENVIRONMENTAL HEALTH DEPARTMENT

707 Nevada Street, Suite 5 – SUSANVILLE, CA 96130 – PH: (530) 251-8528 – FAX: (530) 251-2668

FOOD PROGRAM INSPECTION REPORT

DBA/NAME: <u>Susanville Piazza A ONE Food</u>			DATE: <u>10/26/23</u>		TIME: <u>1905</u>	
ADDRESS: <u>1850 Main St, Susanville CA</u>			RECHECK DATE:			
OWNER/OPERATOR: <u>Singh</u>			VIOLATION CORRECTION DATE:			
See reverse side for the California Retail Food Code sections and general requirements that correspond to each violation listed below						
MAJ = Major Violation MIN= Minor Violation OUT = Items out of compliance			ROUTINE (☒) REINSPECTION () COMPLAINT () EVENT () OTHER ()			

DEMONSTRATION OF KNOWLEDGE	MAJ	MIN	GENERAL FOOD SAFETY REQUIREMENTS	OUT
1. Food safety certification Exp. Date:			20. Approved thawing methods used, frozen food maintained frozen	
1A. Food Handler Cards obtained and records on site			21. Food separated and protected	
EMPLOYEE HEALTH & HYGIENIC PRACTICES			22. Fruits and vegetables washed as required	
2. Communicable disease; reporting, restrictions & exclusions			23. Toxic substances properly identified, stored, used	
3. No discharge from eyes, nose, and/or mouth			FOOD STORAGE/ DISPLAY / SERVICE	
4. Proper hygienic practices			24. Food properly stored, contained, labeled	
5. Hand cleanliness & proper glove use			25. Self-service facilities properly constructed and maintained, food protected, correct temperatures	☒
6. Adequate handwashing facilities supplied & accessible		☒	EQUIPMENT / UTENSILS / LINENS	
TIME & TEMPERATURE RELATIONSHIPS			26. Nonfood contact surfaces clean and in good repair	☒
7. Proper hot and cold holding temperatures			27. Warewashing facilities: Adequate, maintained, properly used, test strips available	
8. Time as a public health control: Proper procedures & records			28. Equipment / Utensils approved; properly installed or stored, clean; good condition; linens properly stored and used	
9. Proper cooling methods			29. Ventilation and lighting adequate and as required	
10. Proper cooking time & temperatures			30. Thermometers provided and accurate	
11. Proper reheating procedures for hot holding			31. Wiping cloths: properly used and stored	
PROTECTION FROM CONTAMINATION			PHYSICAL FACILITIES	
12. Food condition, cross contamination, no re-service			32. Plumbing in good repair, proper materials, backflow devices, and janitorial facilities	
13. Food contact surfaces clean and sanitized			33. Garbage and refuse properly disposed; facilities maintained	☒
APPROVED SOURCE & SPECIAL PROCEDURES			34. Toilet facilities properly constructed, supplied, cleaned, maintained	
14. Food from approved source; shell stock requirements; special procedures followed, Consumer Advisory			35. Facility cleanliness, non-food item storage, vermin-proofing	
15. Specialized food handling			36. Floor, walls and ceilings: properly built, maintained in good repair, and clean	
WATER & WASTE WATER			37. No unapproved private homes/ living or sleeping quarters	
16. Hot and cold water available from an approved source			MISC. REQUIREMENTS	
17. Sewage and wastewater properly disposed			38. Signs posted	
VERMIN			39. Plan review required for new or remodel construction	
18. No rodents, insects, birds or animals			40. Permits Available	
FACILITY SUPERVISION			41. Impoundment of unsanitary equipment or food, permit suspension	
19. Person in charge present and performs duties			42. Other	☒

OBSERVATIONS AND CORRECTIVE ACTIONS:

6. No paper towels in dispenser. Handwashing soap and towels or drying device shall be provided in dispensers.

25. Bibs on soda machine (left unit of two) need to be cleaned, as do bibs on coffee/ cappuccino machine.

26. Syrup leaking in cabinet below iced tea dispenser. Clean area & repair leak to prevent contamination.

wooden support used under coffee machine. Non-food contact surfaces of equipment shall be constructed of corrosion-resistant, non-absorbent, smooth material that is easily cleanable

R.E.H.S: <u></u>	RECEIVED BY: <u>Melbert Singh</u>	Page 1 of: <u>2</u>
------------------	-----------------------------------	---------------------

DBA/NAME: Susanville Plaza A One Food

DATE: 10/26/23

OBSERVATIONS AND CORRECTIVE ACTIONS:

33. Garbage area is open. Dumpster lid is open. Trash is present in area on ground. Containers shall be covered at all times. All waste must be removed and disposed of as frequently as necessary to prevent a nuisance.

42. CO₂ canister on cabinet is not secured at time of inspection. CO₂ canisters shall be secured to a rigid structure.

Observations: Ice Cream: -2.5°F, 11°F (OK) Milk: 36.8°F (OK)
Imbera fridge: 37.5°F (OK)

3-compartment sink: 120.5°F (OK) Bathroom: 107°F (OK)



Malhotra Singh