

LASSEN COUNTY ENVIRONMENTAL HEALTH DEPARTMENT

707 Nevada Street, Suite 5 – SUSANVILLE, CA 96130 – PH: (530) 251-8528 – FAX: (530) 251-2668

FOOD PROGRAM INSPECTION REPORT

DBA/NAME: <u>White House Restaurant</u>		DATE: <u>2/8/24</u>		TIME: <u>3:05 pm</u>	
ADDRESS: <u>3055 Johnstown Rd, Susanville</u>		RECHECK DATE:			
OWNER/OPERATOR: <u>Lim</u>		VIOLATION CORRECTION DATE:			
See reverse side for the California Retail Food Code sections and general requirements that correspond to each violation listed below					
MAJ = Major Violation MIN = Minor Violation OUT = Items out of compliance		ROUTINE (<input checked="" type="checkbox"/>) REINSPECTION () COMPLAINT () EVENT () OTHER ()			

DEMONSTRATION OF KNOWLEDGE	MAJ	MIN	GENERAL FOOD SAFETY REQUIREMENTS	OUT
1. Food safety certification Exp. Date: <u>Lim: Exp 9/7/25</u>			20. Approved thawing methods used, frozen food maintained frozen	
1A. Food Handler Cards obtained and records on site			21. Food separated and protected	
EMPLOYEE HEALTH & HYGIENIC PRACTICES			22. Fruits and vegetables washed as required	
2. Communicable disease; reporting, restrictions & exclusions			23. Toxic substances properly identified, stored, used	
3. No discharge from eyes, nose, and/or mouth			FOOD STORAGE/ DISPLAY / SERVICE	
4. Proper hygienic practices			24. Food properly stored, contained, labeled	<input checked="" type="checkbox"/>
5. Hand cleanliness & proper glove use			25. Self-service facilities properly constructed and maintained, food protected, correct temperatures	
6. Adequate handwashing facilities supplied & accessible			EQUIPMENT / UTENSILS / LINENS	
TIME & TEMPERATURE RELATIONSHIPS			26. Nonfood contact surfaces clean and in good repair	
7. Proper hot and cold holding temperatures			27. Warewashing facilities: Adequate, maintained, properly used, test strips available	<input checked="" type="checkbox"/>
8. Time as a public health control: Proper procedures & records			28. Equipment / Utensils approved; properly installed or stored, clean; good condition; linens properly stored and used	<input checked="" type="checkbox"/>
9. Proper cooling methods			29. Ventilation and lighting adequate and as required	
10. Proper cooking time & temperatures			30. Thermometers provided and accurate	
11. Proper reheating procedures for hot holding			31. Wiping cloths: properly used and stored	
PROTECTION FROM CONTAMINATION			PHYSICAL FACILITIES	
12. Food condition, cross contamination, no re-service			32. Plumbing in good repair, proper materials, backflow devices, and janitorial facilities	
13. Food contact surfaces clean and sanitized			33. Garbage and refuse properly disposed; facilities maintained	
APPROVED SOURCE & SPECIAL PROCEDURES			34. Toilet facilities properly constructed, supplied, cleaned, maintained	
14. Food from approved source; shell stock requirements; special procedures followed, Consumer Advisory			35. Facility cleanliness, non-food item storage, vermin-proofing	
15. Specialized food handling			36. Floor, walls and ceilings: properly built, maintained in good repair, and clean	<input checked="" type="checkbox"/>
WATER & WASTE WATER			37. No unapproved private homes/ living or sleeping quarters	
16. Hot and cold water available from an approved source			MISC. REQUIREMENTS	
17. Sewage and wastewater properly disposed			38. Signs posted	
VERMIN			39. Plan review required for new or remodel construction	
18. No rodents, insects, birds or animals			40. Permits Available	<input checked="" type="checkbox"/>
FACILITY SUPERVISION			41. Impoundment of unsanitary equipment or food, permit suspension	
19. Person in charge present and performs duties			42. Other	

OBSERVATIONS AND CORRECTIVE ACTIONS:

24. Raw hamburger patties stored in freezer above bags of ice. Move burger patties so they are not above ready-to-eat foods such as ice.

27. Mechanical Dishwasher has no sanitizer in final rinse. Rinse cycle shall contain at least 50 ppm Cl. Sanitize dishes in 3-comp. Sink @ 100 ppm Cl for at least 30 secs until machine is repaired.

28. Refrigerator doors need to be cleaned. They have a build up of residue and food debris. Soda machine bins need to be cleaned. Dry goods storage area needs to be cleaned.

R.E.H.S.:	RECEIVED BY:	Page 1 of: <u>2</u>
-----------	--------------	---------------------

LASSEN COUNTY
ENVIRONMENTAL HEALTH BRANCH

~~1445 PAUL BUNYAN RD • SUSANVILLE, CA 96130 • PH: (530) 251-8528 • FAX: (530) 251-2668~~

FOOD FACILITY OFFICIAL INSPECTION REPORT

D.B.A. White House Restaurant

Date 2/8/24

36. Walls in kitchen (near mop sink, behind stove) need to be cleaned.

There is a build up of food residue on the walls/ceiling.

40. Permit fees unpaid at time of inspection. Pay permit fees to receive current Food Facility Permit

Observations:

Refrigeration: 38°F, 38°F, 40°F, 40°F, 40°F, 38°F -OK

Freezers: -20°F, 0°F, -70°F, -20°F, -50°F, 10°F -OK

Dish machine: 0 ppm Cl

H₂O Temp: 124°F, 118°F -OK

Hot sink: 102°F - OK

Restrooms: OK

Environmental Health Specialist

Phone Extension: _____

Accepted by